



MINISTRY OF HEALTH


DATA AS REPORTED BY 1700 HOURS 3 April 2022

COVID-19 OUTBREAK IN KENYA

DAILY SITUATION REPORT – 747

1. KEY HIGHLIGHTS

- Four (4)** new confirmed COVID-19 cases were reported in the last 24 hours bringing the total number of confirmed cases in Kenya to **323,454 cases** as of **3 April 2022**. Counties reporting new cases are **Nairobi (4)**.
- Zero (0) deaths have been reported over the last 24 hrs.** The total number of cumulative deaths reported since the beginning of the outbreak is **5648, case fatality rate (CFR) is 1.7%**
- All **47 counties** have cumulatively reported cases as follows: Nairobi (131,025), Kiambu (20159), Mombasa (17937), Nakuru (17058), Uasin Gishu (10544), Kisumu (7798), Machakos (7621), Kajiado (7597), Kilifi (7000), Busia (6539), Siaya (6420), Nyeri (5865), Kericho (5773), Kitui (4893), Murang'a (4442), Kakamega (4200), Meru (4085), Kisii (3721), Migori (3352), Laikipia (3219), Bungoma (3150), Makueni (3075), Nyandarua (2986), Turkana (2669), Garissa (2665), Embu (2634), Trans Nzoia (2365), Nandi (2360), Kirinyaga (2257), Homa Bay (2113), Nyamira (2080), Taita Taveta (2046), Baringo (1682), Bomet (1678), Narok (1370), Kwale (1344), Tharaka Nithi (1241), Vihiga (1097), Marsabit (997), West pokot (855), Isiolo (773), Lamu (770), Elgeyo Marakwet (532), Mandera (441), Tana River (409), Samburu (315), and Wajir (300).
- In epi-week **13, 2022, Nairobi city** and **Mombasa** Counties had the highest attack rates of COVID-19 at **1.32** and **0.58** per **100,000** population respectively when compared to the national attack rate of **0.19/100,000** for the same epi-week.
- In the last 24 hours, **2,488 samples** were tested across various laboratories of which **four (4)** samples turned positive for COVID-19, a positivity rate of **0.2%**. Cumulatively, **3,527,127 tests** have been conducted.
- In the last 24 hours, **14** COVID-19 patients (**Health Facility: 0, HBIC: 14**) recovered and were discharged bringing the total number of recoveries and discharges to **317,685 (Facility: 53,015, HBIC: 264,670)**.



1.1 Epidemiology

Since 13 March 2020 when the first case was confirmed in Kenya, a total of **323,454** confirmed cases and **5,648** deaths (**CFR 1.7%**) have been line-listed. **Figure 1 and 2** below shows trends of cases and deaths for the last one year.




Figure 1: Trends of COVID-19 outbreak in Kenya in the last one year




Figure 2: Trends of COVID-19 deaths in Kenya in the last one year

1.2 Laboratory testing

WHO recommends that one of the indicators that the pandemic is under control, is when < 5% of samples tested are positive for COVID-19 for the past 2 weeks, assuming that surveillance for suspected cases is comprehensive and testing rate of suspect cases, is optimum at least 1/1000 population/week. The laboratory test rate currently stands at **74154.9** samples per 1,000,000 people. Figure 3 shows the weekly testing rate/1000 population/week for the last one year.




Figure 3: Laboratory Tests Conducted by Date Results were Shared



1.3 Age and Sex Distribution of COVID Confirmed Cases and Deaths

A total of **182,448 (56%)** of the cumulative cases are males and **141,006 (44%)** are females. Most cases, **83,570 (26%)** are in the age group of **30-39 years**. Of the **5647** cumulative deaths, **3,5934 (64%)** are males and **2,054 (36%)** are females.

Figure 4 below shows the age and sex distribution of COVID-19 cases by the outcome.




Figure 4: Age and Sex Distribution of COVID-19 Cases by the outcome in Kenya

1.4 Distribution of Confirmed COVID-19 Cases and Deaths by County of Diagnosis

Of the **323,454** cumulative cases, **131,025 (41%)** are from **Nairobi** County followed by **Kiambu** County with **20,159 (6%)**, while **Wajir** County recorded the lowest number of cases, **300 (0.09%)** as shown in Table 1.

Table 1: Distribution of confirmed COVID-19 Cases and deaths by County of Diagnosis

County	Population	Covid-19 Cases	Attack Rates	Deaths	CFR
Nairobi	4397073	131021	2979.82	1552	1.18
Kiambu	2417735	20159	833.80	548	2.72
Mombasa	1208333	17937	1484.44	337	1.88
Nakuru	2162202	17058	788.92	532	3.12
Uasin Gishu	1163186	10544	906.48	241	2.29
Kisumu	1155574	7798	674.82	85	1.09
Machakos	1421932	7621	535.96	194	2.55

County	Population	Covid-19 Cases	Attack Rates	Deaths	CFR
Kajiado	1117840	7597	679.61	77	1.01
Kilifi	1453787	7000	481.50	35	0.50
Busia	893681	6539	731.69	53	0.81
Siaya	993183	6420	646.41	120	1.87
Nyeri	759164	5865	772.56	172	2.93
Kericho	901777	5773	640.18	68	1.18
Kitui	1136187	4893	430.65	111	2.27
Murang'a	1056640	4442	420.39	230	5.18
Kakamega	1867579	4200	224.89	119	2.83
Meru	1545714	4085	264.28	113	2.77
Kisii	1266860	3721	293.72	112	3.01
Migori	1116436	3352	300.24	62	1.85
Laikipia	518560	3219	620.76	26	0.81
Bungoma	1670570	3150	188.56	5	0.16
Makueni	987653	3075	311.34	101	3.28
Nyandarua	638289	2986	467.81	67	2.24
Turkana	841353	2669	287.93	24	0.90
Garissa	926976	2665	316.75	97	3.64
Embu	608599	2634	432.80	62	2.35
Trans Nzoia	990341	2365	238.81	9	0.38
Nandi	885711	2360	266.45	34	1.44
Kirinyaga	610411	2257	369.75	76	3.37
Homa Bay	1131950	2113	186.67	96	4.54
Nyamira	605576	2081	343.64	18	0.86
Taita Taveta	340671	2046	600.58	42	2.05
Baringo	666763	1682	252.26	14	0.83
Bomet	875689	1678	191.62	29	1.73
Narok	1157873	1370	118.32	24	1.75
Kwale	866820	1345	155.16	11	0.82
Tharaka Nithi	393177	1241	315.63	8	0.64
Vihiga	590013	1097	185.93	30	2.74
Marsabit	459785	997	216.84	2	0.20
West Pokot	621241	855	137.63	1	0.12
Isiolo	268002	773	288.43	43	5.56
Lamu	143920	770	535.02	13	1.69
Elgeyo Marakwet	454480	532	117.06	10	1.88
Mandera	867457	441	50.84	36	8.18
Tana River	315943	409	129.45	1	0.24
Samburu	310327	315	101.51	1	0.32
Wajir	781263	300	38.40	6	2.00



1.5 Map of Kenya showing COVID-19 attack rate and by County per 100,000 population

In Epi-week 13, Nairobi city County recorded the highest attack rate of 1.32 followed by Mombasa County at 0.58 per 100,000 population (Figure 5).




Figure 5: County Attack Rate per 100,000 Population



1.6 Map of Kenya showing COVID-19 caseload by County




Figure 6: Case-loads by county

1.7 Kenya COVID-19 Vaccination Updates



Partially vaccinated: Adults- **2,678,824**
Fully Vaccinated: Adults- **8,142,852**
Booster Doses: - **281,756**



15 to <18 years- **821,241**
 15 to <18 years- **202,159**

The Kenya Ministry of Health launched the National COVID-19 vaccinations on the 5th March 2021. As of **2nd April 2022**, a total of **2,678,824 persons** were vaccinated with the 1st dose, and **8,142,852 persons** were fully vaccinated.

Table 2: Vaccine Doses Dispensed as of 2nd April 2022

Vaccine	Total doses Administered
Partially vaccinated adults	2,678,824
Fully vaccinated adults	8,142,852
Booster doses	281,756
Total doses (All Vaccines + Sputnik)	17,665,765
Partially Vaccinated 15- below 18 years	821,241
Fully Vaccinated 15- below 18 years	202,159
% of adults fully vaccinated	29.9%

The highest proportion of the population fully vaccinated is in Nyeri County at 52.2% and the least is Marsabit County at (9.6%) (Table 3).

Table 3: Proportion of fully Vaccinated by County, 2nd April 2022

County	Number of adults fully vaccinated	Target Population above 18 years	% of fully vaccinated adults	County	Number of adults fully vaccinated	Target Population above 18 years	% of fully vaccinated adults
Nyeri	266,283	510,028	52.2%	Kericho	140,631	508,980	27.6%
Nairobi	1,453,360	3,052,494	47.6%	Busia	127,377	465,190	27.4%
Kakamega	376,223	982,838	38.3%	Meru	250,482	949,186	26.4%
Laikipia	112,915	306,448	36.8%	Nandi	123,454	492,652	25.1%
Kirinyaga	152,318	413,708	36.8%	Makueni	145,588	584,379	24.9%
Taita Taveta	77,181	213,335	36.2%	Elgeyo Marakwet	59,831	243,690	24.6%
Nakuru	456,472	1,273,265	35.9%	Homa Bay	146,450	608,326	24.1%
Kiambu	567,809	1,623,545	35.0%	Baringo	73,350	338,937	21.6%
Kisumu	225,861	656,147	34.4%	Lamu	16,692	83,433	20.0%
Vihiga	110,809	329,317	33.6%	Samburu	25,045	145,608	17.2%
Siaya	175,494	536,031	32.7%	Kitui	100,370	624,506	16.1%
Machakos	294,828	905,172	32.6%	Turkana	74,306	468,878	15.8%
Uasin Gishu	220,763	693,570	31.8%	Kwale	70,844	451,261	15.7%
Muranga	206,331	675,364	30.6%	Bomet	72,043	465,963	15.5%
Embu	120,860	395,980	30.5%	Narok	82,433	548,229	15.0%
Tharaka Nithi	75,246	246,699	30.5%	West Pokot	40,826	283,727	14.4%
Nyamira	103,343	341,397	30.3%	Kilifi	110,672	784,567	14.1%
Bungoma	253,530	843,735	30.0%	Isiolo	17,104	133,358	12.8%
Mombasa	241,395	804,202	30.0%	Garissa	50,414	399,358	12.6%
Nyandarua	112,267	376,776	29.8%	Wajir	36,626	337,296	10.9%
Trans Nzoia	154,004	518,077	29.7%	Tana River	15,990	151,051	10.6%
Migori	164,656	557,657	29.5%	Mandera	35,119	341,857	10.3%
Kisii	200,262	697,445	28.7%	Marsabit	21,139	219,170	9.6%
Kajiado	183,856	663,201	27.7%	Total	8,142,852	27,246,033	29.9%




Figure 7: Adult full vaccination coverage by county

2.0 KEY ACTIONS

2.1 Coordination

- Response efforts continue to be coordinated through a whole government and multi-agency approach following Executive Order No. 2 of 2021 issued by His Excellency the President on 26th March 2021.
- The National Emergency Response Committee that was constituted following the executive order meets regularly to provide policy directions on response efforts towards the COVID-19 outbreak.
- The Public Health Emergency Operation Centre is fully activated and continues to coordinate response measures as well as provide daily situation reports informing planning.

2.2 Case Management and Infection Prevention & Control

- Currently, COVID-19 cases are being managed as inpatients and in home-based care
- Zero (0) COVID-19 case is currently admitted in the intensive care unit in ventilatory support, zero (0) on supplemental oxygen, and zero (0) under observation.

- The IPC measures being implemented include: handwashing/sanitization, use of face masks in public transport, and social distancing in social places

2.3 Surveillance, laboratory, and Point of Entries

- The Diagnostic capacity in the Country has been scaled up. A total of ninety-six (96) public and private laboratories conduct PCR tests and 472 Rapid Diagnostic Tests (RDT). Genomic sequencing is done on sampled cases to identify new variants.
- Screening of cargo vessel crew at all points of entry to detect positive individuals.

3.0 KEY CHALLENGES

- Irregular reporting of COVID-19 data from counties/sub-counties to the national level
- High staff turn-over of trained personnel
- Suboptimal use of data in counties and sub-counties shared by national level for follow-up and decision making
- Inadequate resources to facilitate critical response pillars limiting response capacity in detecting, investigating, and follow-up of cases.

4.0 RECOMMENDATIONS AND NEXT STEPS

- Enhanced integrated disease surveillance at all levels
- Regular submission of daily COVID-19 data to the national level by counties
- Counties are encouraged to carry out investigations and institute control measures for areas with clustering of cases.
- Dissemination and utilization of data to make informed public health decisions at all levels
- Continuous capacity building of staff on surveillance

Emergency Operation Center:

Telephone: 0729 471 414, 0732 353 535, 0800 721316(Toll Free)

COVID-19 Call center: *719# (short message only), 719 (Audio)

COVID-19 Dashboard: https://khro.health.go.ke/#/covid_19_tracker

Email: manager.eockenya@gmail.com