



MINISTRY OF HEALTH


DATA AS REPORTED BY 1700 HOURS 7 JUNE 2022

COVID-19 OUTBREAK IN KENYA

DAILY SITUATION REPORT – 812

1. KEY HIGHLIGHTS

- 1. One hundred and sixty-three (163)** new confirmed COVID-19 cases were reported in the last 24 hours bringing the total number of confirmed cases in Kenya to **325,797 cases** as of **7 June 2022**. Counties reporting new cases are **Nairobi (105), Kiambu (24) Nakuru (6), Kitui (5), Kajiado (4), Kilifi (4), Siaya (4), Nyeri (3), Embu (2), Kisumu (2), Mombasa (2), Busia (1) and Uasin Gishu (1)**
- 2. Zero (0) deaths have been reported over the last 24 hrs.** The total number of cumulative deaths reported since the beginning of the outbreak is **5651, case fatality rate (CFR) is 1.7%**
- 3. All 47 counties** have cumulatively reported cases as follows: Nairobi (132,776), Kiambu (20290), Mombasa (17964), Nakuru (17107), Uasin Gishu (10579), Kisumu (7830), Machakos (7621), Kajiado (7603), Kilifi (7023), Busia (6541), Siaya (6453), Nyeri (5977), Kericho (5775), Kitui (4928), Murang'a (4450), Kakamega (4205), Meru (4088), Kisii (3722), Migori (3351), Laikipia (3221), Bungoma (3166), Makueni (3076), Nyandarua (2987), Turkana (2675), Garissa (2669), Embu (2640), Trans Nzoia (2367), Nandi (2360), Kirinyaga (2258), Homa Bay (2114), Nyamira (2081), Taita Taveta (2046), Baringo (1682), Bomet (1679), Narok (1371), Kwale (1353), Tharaka Nithi (1241), Vihiga (1097), Marsabit (997), West pokot (855), Isiolo (773), Lamu (772), Elgeyo Marakwet (532), Mandera (451), Tana River (409), Samburu (315), and Wajir (300).
- 4. In epi-week 22, 2022, Nairobi city and Kitui** Counties had the highest attack rates of COVID-19 at **13.76** and **2.37** per **100,000** population respectively when compared to the national attack rate of **1.63/100,000** for the same epi-week.
- 5. In the last 24 hours, 2,470 samples** were tested across various laboratories of which **one hundred and sixty-three (163)** samples turned positive for COVID-19, a positivity rate of **6.6%**. Cumulatively, **3,685,969 tests** have been conducted.
- 6. In the last 24 hours, 128 COVID-19 patients (Health Facility: 0, HBIC: 128)** recovered and were discharged bringing the total number of recoveries and discharges to **319,035 (Facility: 53,031, HBIC: 266,004).**



1.1 Epidemiology

Since 13 March 2020 when the first case was confirmed in Kenya, a total of **325,797** confirmed cases and **5,651** deaths (CFR **1.7%**) have been line-listed. **Figure 1 and 2** below shows trends of cases and deaths for the last one year.




Figure 1: Trends of COVID-19 outbreak in Kenya in the last one year




Figure 2: Trends of COVID-19 deaths in Kenya in the last one year

1.2 Laboratory testing

WHO recommends that one of the indicators that the pandemic is under control, is when < 5% of samples tested are positive for COVID-19 for the past 2 weeks, assuming that surveillance for suspected cases is comprehensive and the testing rate of suspect cases, is optimum at least 1/1000 population/week. The laboratory test rate currently stands at **77494.5** samples per 1,000,000 people. Figure 3 shows the weekly testing rate/1000 population/week for the last year.




Figure 3: Laboratory Tests Conducted by Date Results were Shared

1.3 Age and Sex Distribution of COVID Confirmed Cases and Deaths

A total of **183,739 (56%)** of the cumulative cases are males and **14,058 (44%)** are females. Most cases, **84,132 (26%)** are in the age group of **30-39 years**. Of the **5651** cumulative deaths, **3,596 (64%)** are males and **2,055 (36%)** are females.

Figure 4 below shows the age and sex distribution of COVID-19 cases by the outcome.




Figure 4: Age and Sex Distribution of COVID-19 Cases by the outcome in Kenya

1.4 Distribution of Confirmed COVID-19 Cases and Deaths by County of Diagnosis

Of the **325,797** cumulative cases, **132,776 (40.7%)** are from **Nairobi** County followed by **Kiambu** County with **20,290 (6.2%)**, while **Wajir** County recorded the lowest number of cases, **300 (0.09%)** as shown in Table 1.

Table 1: Distribution of confirmed COVID-19 Cases and deaths by County of Diagnosis

County	Population	Covid-19 Cases	Attack Rates	Deaths	CFR
Nairobi	4397073	132776	3019.65	1553	1.17
Kiambu	2417735	20290	839.22	549	2.71
Mombasa	1208333	17964	1486.68	337	1.88
Nakuru	2162202	17107	791.18	532	3.11
Uasin Gishu	1163186	10579	909.48	243	2.30
Kisumu	1155574	7830	677.59	85	1.09

County	Population	Covid-19 Cases	Attack Rates	Deaths	CFR
Machakos	1421932	7621	535.96	194	2.55
Kajiado	1117840	7603	680.15	77	1.01
Kilifi	1453787	7023	483.08	35	0.50
Busia	893681	6541	731.92	53	0.81
Siaya	993183	6454	649.83	120	1.86
Nyeri	759164	5977	787.31	172	2.88
Kericho	901777	5775	640.40	68	1.18
Kitui	1136187	4928	433.73	111	2.25
Murang'a	1056640	4454	421.52	230	5.16
Kakamega	1867579	4206	225.21	119	2.83
Meru	1545714	4088	264.47	113	2.76
Kisii	1266860	3722	293.80	112	3.01
Migori	1116436	3353	300.33	62	1.85
Laikipia	518560	3221	621.14	26	0.81
Bungoma	1670570	3183	190.53	5	0.16
Makueni	987653	3076	311.45	101	3.28
Nyandarua	638289	2987	467.97	67	2.24
Turkana	841353	2674	288.46	24	0.90
Garissa	926976	2670	317.35	97	3.63
Embu	608599	2641	433.95	62	2.35
Trans Nzoia	990341	2367	239.01	9	0.38
Nandi	885711	2360	266.45	34	1.44
Kirinyaga	610411	2258	369.91	76	3.37
Homa Bay	1131950	2114	186.76	96	4.54
Nyamira	605576	2081	343.64	18	0.86
Taita Taveta	340671	2046	600.58	42	2.05
Baringo	666763	1682	252.26	14	0.83
Bomet	875689	1679	191.73	29	1.73
Narok	1157873	1371	118.41	24	1.75
Kwale	866820	1353	156.09	11	0.81
Tharaka Nithi	393177	1241	315.63	8	0.64
Vihiga	590013	1097	185.93	30	2.73
Marsabit	459785	997	216.84	2	0.20
West Pokot	621241	855	137.63	1	0.12
Isiolo	268002	773	288.43	43	5.56
Lamu	143920	772	536.41	13	1.68
Elgeyo Marakwet	454480	532	117.06	10	1.88
Mandera	867457	452	52.11	36	7.96
Tana River	315943	409	129.45	1	0.24
Samburu	310327	315	101.51	1	0.32
Wajir	781263	300	38.40	6	2.00

1.5 Map of Kenya showing COVID-19 attack rate and by County per 100,000 population

In Epi -week 22, Nairobi City County recorded the highest attack rate of 13.76 followed by Kitui County at 2.37 per 100,000 population (Figure 5).




Figure 5: County Attack Rate per 100,000 Population

1.6 Map of Kenya showing COVID-19 caseload by County




Figure 6 Case-loads by county

1.7 Kenya COVID-19 Vaccination Updates



Partially vaccinated: >18yrs- 2,495,829 **15 to <18 yrs- 816,719** **<15yrs- 29,762**
Fully Vaccinated: >18yrs- 8,474,171 **15 to <18 yrs- 291,119** **<15yrs- 5,766**
Booster Doses: >18yrs – 357,402

The Kenya Ministry of Health launched the National COVID-19 vaccinations on the 5th of March 2021. As of **6th June 2022**, a total of **2,495,829 persons** were vaccinated with the 1st dose, and **8,474,171 persons** were fully vaccinated.

Table 2: Vaccine Doses Dispensed as of 6th June 2022

Vaccine	Total doses Administered
Partially vaccinated adults	2,495,829
Fully vaccinated adults	8,474,171
Booster doses	357,402
Total doses (All Vaccines + Sputnik)	18,300,580
Partially Vaccinated 15- below 18 years	816,719
Fully Vaccinated 15- below 18 years	291,119
Partially Vaccinated below 15 years	29,762
Fully Vaccinated below 15 years	5,766
% of adults fully vaccinated	31.1%

The highest proportion of the population fully vaccinated is in Nyeri County at 52.9% and the least is Marsabit County at (9.7%) (Table 3).

Table 3: Proportion of fully Vaccinated by County, 6th June 2022

County	Number of adults fully vaccinated	Target Population above 18 years	% of fully vaccinated adults	County	Number of adults fully vaccinated	Target Population above 18 years	% of fully vaccinated adults
Nyeri	269,865	510,028	52.9%	Kajiado	190,316	663,201	28.7%
Nairobi	1,499,907	3,052,494	49.1%	Kericho	144,686	508,980	28.4%
Kakamega	393,416	982,838	40.0%	Makueni	162,978	584,379	27.9%
Nakuru	489,920	1,273,265	38.5%	Homa Bay	166,499	608,326	27.4%
Laikipia	117,888	306,448	38.5%	Meru	253,398	949,186	26.7%
Taita Taveta	80,571	213,335	37.8%	Nandi	125,210	492,652	25.4%
Kirinyaga	155,682	413,708	37.6%	Elgeyo Marakwet	60,033	243,690	24.6%
Kisumu	244,167	656,147	37.2%	Baringo	74,144	338,937	21.9%
Kiambu	581,114	1,623,545	35.8%	Lamu	16,999	83,433	20.4%
Siaya	190,633	536,031	35.6%	Samburu	25,570	145,608	17.6%
Vihiga	113,092	329,317	34.3%	Kitui	106,985	624,506	17.1%
Machakos	309,453	905,172	34.2%	Turkana	79,978	468,878	17.1%
Muranga	220,955	675,364	32.7%	Kwale	73,825	451,261	16.4%
Uasin Gishu	224,749	693,570	32.4%	Bomet	75,433	465,963	16.2%
Trans Nzoia	164,126	518,077	31.7%	Kilifi	119,230	784,567	15.2%
Embu	122,571	395,980	31.0%	Narok	83,288	548,229	15.2%
Mombasa	248,880	804,202	30.9%	West Pokot	41,212	283,727	14.5%
Tharaka Nithi	76,134	246,699	30.9%	Garissa	52,291	399,358	13.1%
Bungoma	258,554	843,735	30.6%	Isiolo	17,378	133,358	13.0%
Migori	170,360	557,657	30.5%	Wajir	37,062	337,296	11.0%
Nyamira	104,254	341,397	30.5%	Tana River	16,153	151,051	10.7%
Nyandarua	114,427	376,776	30.4%	Mandera	35,340	341,857	10.3%
Kisii	207,595	697,445	29.8%	Marsabit	21,372	219,170	9.8%
Busia	136,478	465,190	29.3%	Total	8,474,171	27,246,033	31.1%




Figure 7: Adult full vaccination coverage by county

2.0 KEY ACTIONS

2.1 Coordination

- Response efforts continue to be coordinated through a whole government and multi-agency approach following Executive Order No. 2 of 2021 issued by His Excellency the President on 26th March 2021.
- The National Emergency Response Committee that was constituted following the executive order meets regularly to provide policy directions on response efforts towards the COVID-19 outbreak.
- The Public Health Emergency Operation Centre is fully activated and continues to coordinate response measures as well as provide daily situation reports informing planning.

2.2 Case Management and Infection Prevention & Control

- Currently, COVID-19 cases are being managed as inpatients and in home-based care
- Zero (0) COVID-19 case is currently admitted in the intensive care unit in ventilatory support, zero (0) on supplemental oxygen, and zero (0) under observation.

- The IPC measures being implemented include: handwashing/sanitization, use of face masks in public transport, and social distancing in social places

2.3 Surveillance, laboratory, and Point of Entries

- The Diagnostic capacity in the Country has been scaled up. A total of ninety-six (96) public and private laboratories conduct PCR tests and 472 Rapid Diagnostic Tests (RDT). Genomic sequencing is done on sampled cases to identify new variants.
- Screening of cargo vessel crew at all points of entry to detect positive individuals.

3.0 KEY CHALLENGES

- Irregular reporting of COVID-19 data from counties/sub-counties to the national level
- High staff turn-over of trained personnel
- Suboptimal use of data in counties and sub-counties shared by national level for follow-up and decision making
- Inadequate resources to facilitate critical response pillars limiting response capacity in detecting, investigating, and follow-up of cases.

4.0 RECOMMENDATIONS AND NEXT STEPS

- Enhanced integrated disease surveillance at all levels
- Regular submission of daily COVID-19 data to the national level by counties
- Counties are encouraged to carry out investigations and institute control measures for areas with clustering of cases.
- Dissemination and utilization of data to make informed public health decisions at all levels
- Continuous capacity building of staff on surveillance

Emergency Operation Center:

Telephone: 0729 471 414, 0732 353 535, 0800 721316(Toll Free)

COVID-19 Call center: *719# (short message only), 719 (Audio)

COVID-19 Dashboard: https://khro.health.go.ke/#/covid_19_tracker

Email: manager.eockenya@gmail.com