



MINISTRY OF HEALTH

DATA AS REPORTED BY 1700 HOURS 25 JUNE 2022

COVID-19 OUTBREAK IN KENYA

DAILY SITUATION REPORT – 830

1. KEY HIGHLIGHTS

- Four hundred and twenty-seven (427)** new confirmed COVID-19 cases were reported in the last 24 hours bringing the total number of confirmed cases in Kenya to **331,966 cases** as of **25th June 2022**. Counties reporting new cases are **Nairobi (259), Kiambu (36), Siaya (24), Mombasa (15), Nakuru (15), Kilifi (13), Kirinyaga (13), Kericho (12), Uasin Gishu (12), Kisumu (7), Garissa (4), Nyandarua (4), Laikipia (4), Kitui (2), Kisii (1), Taita Taveta (1), Lamu (1), Homa Bay (1), Machakos(1), Meru (1) and Kakamega (1)**.
- Zero (0) deaths have been reported over the last 24 hrs.** The total number of cumulative deaths reported since the beginning of the outbreak is **5651, case fatality rate (CFR) is 1.7%**
- All **47 counties** have cumulatively reported cases as follows: Nairobi (136,644), Kiambu (20,880), Mombasa (18,103), Nakuru (17319), Uasin Gishu (10,685), Kisumu (7874), Machakos (7644), Kajiado (7631), Kilifi (7182), Busia (6549), Siaya (6693), Nyeri (6081), Kericho (5830), Kitui (5117), Murang'a (4554), Kakamega (4215), Meru (4100), Kisii (3741), Migori (3352), Laikipia (3234), Bungoma (3235), Makueni (3082), Nyandarua (3000), Turkana (2682), Garissa (2696), Embu (2656), Trans Nzoia (2383), Nandi (2360), Kirinyaga (2282), Homa Bay (2117), Nyamira (2094), Taita Taveta (2050), Baringo (1682), Bomet (1679), Narok (1374), Kwale (1359), Tharaka Nithi (1241), Vihiga (1097), Marsabit (997), West Pokot (856), Isiolo (773), Lamu (779), Elgeyo Marakwet (532), Mandera (456), Tana River (426), Samburu (315), and Wajir (300).
- In epi-week **24, 2022, Nairobi City and Kiambu** Counties had the highest attack rates of COVID-19 at **32.27** and **10.59** per **100,000** population respectively when compared to the national attack rate of **4.64/100,000** for the same epi-week.
- In the last 24 hours, **3,291 samples** were tested across various laboratories of which **four hundred and twenty-seven (427)** samples turned positive for COVID-19, a positivity rate of **13%**. Cumulatively, **3,742,132 tests** have been conducted.
- In the last 24 hours, **467** COVID-19 patients (**Health Facility: 13, HBIC: 454**) recovered and were discharged bringing the total number of recoveries and discharges to **322,241**
(**Facility: 53,132, HBIC: 269,109**).



1.1 Epidemiology

Since 13th March 2020 when the first case was confirmed in Kenya, a total of **331,966** confirmed cases and **5,651** deaths (CFR **1.7%**) have been line-listed. **Figure 1 and 2** below shows trends of cases and deaths for the last one year.




Figure 1: Trends of COVID-19 outbreak in Kenya in the last one year




Figure 2: Trends of COVID-19 deaths in Kenya in the last one year

1.2 Laboratory testing

WHO recommends that one of the indicators that the pandemic is under control, is when < 5% of samples tested are positive for COVID-19 for the past 2 weeks, assuming that surveillance for suspected cases is comprehensive and the testing rate of suspect cases, is optimum at least 1/1000 population/week. The laboratory test rate currently stands at **78675.2** samples per 1,000,000 people. Figure 3 shows the weekly testing rate/1000 population/week for the last year.




Figure 3: Laboratory Tests Conducted by Date Results were Shared

1.3 Age and Sex Distribution of COVID Confirmed Cases and Deaths

A total of **186,922 (56%)** of the cumulative cases are males and **145,044 (44%)** are females. Most cases, **85,688 (26%)** are in the age group of **30-39 years**. Of the **5651** cumulative deaths, **3,596 (64%)** are males and **2,055 (36%)** are females.

Figure 4 below shows the age and sex distribution of COVID-19 cases by the outcome.




Figure 4: Age and Sex Distribution of COVID-19 Cases by the outcome in Kenya

1.4 Distribution of Confirmed COVID-19 Cases and Deaths by County of Diagnosis

Of the **331,966** cumulative cases, **136,644 (41%)** are from **Nairobi** County followed by **Kiambu** County with **20,880 (6.3%)**, while **Wajir** County recorded the lowest number of cases, **300 (0.09%)** as shown in Table 1.

Table 1: Distribution of confirmed COVID-19 Cases and deaths by County of Diagnosis

County	Population	Covid-19 Cases	Attack Rates	Deaths	CFR
Nairobi	4397073	136644	3107.61	1553	1.14
Kiambu	2417735	20880	863.62	549	2.63
Mombasa	1208333	18101	1498.01	337	1.86
Nakuru	2162202	17334	801.68	532	3.07
Uasin Gishu	1163186	10685	918.60	243	2.27
Kisumu	1155574	7874	681.39	85	1.08

County	Population	Covid-19 Cases	Attack Rates	Deaths	CFR
Machakos	1421932	7644	537.58	194	2.54
Kajiado	1117840	7631	682.66	77	1.01
Kilifi	1453787	7182	494.02	35	0.49
Busia	893681	6693	748.92	53	0.79
Siaya	993183	6549	659.40	120	1.83
Nyeri	759164	6081	801.01	172	2.83
Kericho	901777	5830	646.50	68	1.17
Kitui	1136187	5117	450.37	111	2.17
Murang'a	1056640	4554	430.99	230	5.05
Kakamega	1867579	4215	225.69	119	2.82
Meru	1545714	4100	265.25	113	2.76
Kisii	1266860	3741	295.30	112	2.99
Migori	1116436	3354	300.42	62	1.85
Laikipia	518560	3252	627.12	26	0.80
Bungoma	1670570	3234	193.59	5	0.15
Makueni	987653	3082	312.05	101	3.28
Nyandarua	638289	3003	470.48	67	2.23
Turkana	841353	2697	290.95	24	0.89
Garissa	926976	2681	318.65	97	3.62
Embu	608599	2656	436.41	62	2.33
Trans Nzoia	990341	2383	240.62	9	0.38
Nandi	885711	2360	266.45	34	1.44
Kirinyaga	610411	2282	373.85	76	3.33
Homa Bay	1131950	2117	187.02	96	4.53
Nyamira	605576	2094	345.79	18	0.86
Taita Taveta	340671	2050	601.75	42	2.05
Baringo	666763	1682	252.26	14	0.83
Bomet	875689	1679	191.73	29	1.73
Narok	1157873	1374	118.67	24	1.75
Kwale	866820	1359	156.78	11	0.81
Tharaka Nithi	393177	1241	315.63	8	0.64
Vihiga	590013	1097	185.93	30	2.73
Marsabit	459785	997	216.84	2	0.20
West Pokot	621241	856	137.79	1	0.12
Isiolo	268002	779	290.67	43	5.52
Lamu	143920	773	537.10	13	1.68
Elgeyo Marakwet	454480	532	117.06	10	1.88
Mandera	867457	456	52.57	36	7.89
Tana River	315943	426	134.83	1	0.23
Samburu	310327	315	101.51	1	0.32
Wajir	781263	300	38.40	6	2.00

1.5 Map of Kenya showing COVID-19 attack rate and by County per 100,000 population

In **Epi -week 24, Nairobi City** County recorded the highest attack rate of **32.27** followed by **Kiambu County** at **10.59** per 100,000 population (Figure 5).




Figure 5: County Attack Rate per 100,000 Population

1.6 Map of Kenya showing COVID-19 caseload by County




Figure 6 Case-loads by county

1.7 Kenya COVID-19 Vaccination Updates



Partially vaccinated: >18yrs- 2,454,592 15 to <18 yrs- 818,523 <15yrs- 34,957
Fully Vaccinated: >18yrs- 8,630,394 15 to <18 yrs- 350,893 <15yrs- 6,646
Booster Doses: >18yrs – 445,389

The Kenya Ministry of Health launched the National COVID-19 vaccinations on the 5th of March 2021. As of **24th June 2022**, a total of **2,454,592 persons** were vaccinated with the 1st dose, and **8,630,394 persons** were fully vaccinated.

Table 2: Vaccine Doses Dispensed as of 24th June 2022

Vaccine	Total doses Administered
Partially vaccinated adults	2,454,592
Fully vaccinated adults	8,630,394
Booster doses	445,389
Total doses (All Vaccines + Sputnik)	18,717,774
Partially Vaccinated 15- below 18 years	818,523
Fully Vaccinated 15- below 18 years	350,893
Partially Vaccinated below 15 years	34,957
Fully Vaccinated below 15 years	6,646
% of adults fully vaccinated	31.7%

The highest proportion of the population fully vaccinated is in Nyeri County at 53.1% and the least is Marsabit County at 10% (Table 3).

Table 3: Proportion of fully Vaccinated by County, 24th June 2022

County	Number of adults fully vaccinated	Target Population above 18 years	% of fully vaccinated adults	County	Number of adults fully vaccinated	Target Population above 18 years	% of fully vaccinated adults
Nyeri	270,945	510,028	53.1%	Kajiado	195,359	663,201	29.5%
Nairobi	1,533,556	3,052,494	50.2%	Homa Bay	174,468	608,326	28.7%
Kakamega	408,363	982,838	41.5%	Kericho	145,279	508,980	28.5%
Kisumu	257,225	656,147	39.2%	Makueni	166,670	584,379	28.5%
Nakuru	498,157	1,273,265	39.1%	Meru	253,783	949,186	26.7%
Laikipia	119,150	306,448	38.9%	Nandi	125,662	492,652	25.5%
Taita Taveta	81,321	213,335	38.1%	Elgeyo Marakwet	60,107	243,690	24.7%
Kirinyaga	156,316	413,708	37.8%	Baringo	74,513	338,937	22.0%
Siaya	195,403	536,031	36.5%	Lamu	17,097	83,433	20.5%
Kiambu	586,222	1,623,545	36.1%	Samburu	25,597	145,608	17.6%
Machakos	315,650	905,172	34.9%	Turkana	81,978	468,878	17.5%
Vihiga	113,393	329,317	34.4%	Kitui	108,163	624,506	17.3%
Muranga	231,096	675,364	34.2%	Kwale	74,603	451,261	16.5%
Uasin Gishu	226,231	693,570	32.6%	Bomet	75,838	465,963	16.3%
Trans Nzoia	168,858	518,077	32.6%	Kilifi	121,469	784,567	15.5%
Migori	177,127	557,657	31.8%	Narok	83,475	548,229	15.2%
Mombasa	251,366	804,202	31.3%	West Pokot	41,327	283,727	14.6%
Embu	122,912	395,980	31.0%	Garissa	53,119	399,358	13.3%
Tharaka Nithi	76,339	246,699	30.9%	Isiolo	17,433	133,358	13.1%
Bungoma	260,214	843,735	30.8%	Wajir	37,081	337,296	11.0%
Nyamira	105,265	341,397	30.8%	Tana River	16,250	151,051	10.8%
Busia	141,884	465,190	30.5%	Mandera	35,415	341,857	10.4%
Nyandarua	114,769	376,776	30.5%	Marsabit	21,929	219,170	10.0%
Kisii	212,017	697,445	30.4%	Total	8,630,394	27,246,033	31.7%




Figure 7: Adult full vaccination coverage by county

2.0 KEY ACTIONS

2.1 Coordination

- Response efforts continue to be coordinated through a whole government and multi-agency approach following Executive Order No. 2 of 2021 issued by His Excellency the President on 26th March 2021.
- The National Emergency Response Committee that was constituted following the executive order meets regularly to provide policy directions on response efforts towards the COVID-19 outbreak.
- The Public Health Emergency Operation Centre is fully activated and continues to coordinate response measures as well as provide daily situation reports informing planning.

2.2 Case Management and Infection Prevention & Control

- Currently, COVID-19 cases are being managed as inpatients and in home-based care
- Three (3) COVID-19 cases are currently admitted to the intensive care unit: two (2) on ventilatory support, one (1) on supplemental oxygen, and zero (0) under observation.

- The IPC measures being implemented include: handwashing/sanitization, use of face masks in public transport, and social distancing in social places

2.3 Surveillance, laboratory, and Point of Entries

- The Diagnostic capacity in the Country has been scaled up. A total of ninety-six (96) public and private laboratories conduct PCR tests and 472 Rapid Diagnostic Tests (RDT). Genomic sequencing is done on sampled cases to identify new variants.
- Screening of cargo vessel crew at all points of entry to detect positive individuals.

3.0 KEY CHALLENGES

- Irregular reporting of COVID-19 data from counties/sub-counties to the national level
- High staff turn-over of trained personnel
- Suboptimal use of data in counties and sub-counties shared by national level for follow-up and decision making
- Inadequate resources to facilitate critical response pillars limiting response capacity in detecting, investigating, and follow-up of cases.

4.0 RECOMMENDATIONS AND NEXT STEPS

- Enhanced integrated disease surveillance at all levels
- Regular submission of daily COVID-19 data to the national level by counties
- Counties are encouraged to carry out investigations and institute control measures for areas with clustering of cases.
- Dissemination and utilization of data to make informed public health decisions at all levels
- Continuous capacity building of staff on surveillance

Emergency Operation Center:

Telephone: 0729 471 414, 0732 353 535, 0800 721316(Toll Free)

COVID-19 Call center: *719# (short message only), 719 (Audio)

COVID-19 Dashboard: https://khro.health.go.ke/#/covid_19_tracker

Email: manager.eockenya@gmail.com