



MINISTRY OF HEALTH

DATA AS REPORTED BY 1700 HOURS 5 August 2022

COVID-19 OUTBREAK IN KENYA

DAILY SITUATION REPORT – 871

1. KEY HIGHLIGHTS

- Forty (40)** new confirmed COVID-19 cases were reported in the last 24 hours bringing the total number of confirmed cases in Kenya to **337,808 cases** as of **5th August 2022**. Counties reporting new cases are **Nairobi (19), Turkana (12), Siaya (3), Homa Bay (2), Kiambu (1), Uasin Gishu (1), Mombasa (1) and Nakuru (1)**.
- Zero (0) deaths have been reported over the last 24 hours**. The total number of cumulative deaths reported since the beginning of the outbreak is **5672**, **case fatality rate (CFR) is 1.7%**
- All **47 counties** have cumulatively reported cases as follows: Nairobi (139,587), Kiambu (21,208), Mombasa (18,213), Nakuru (17,589), Uasin Gishu (10,764), Kisumu (7,948), Machakos (7,708), Kajiado (7,678), Kilifi (7,388), Siaya (7,079), Busia (6,621), Nyeri (6,180), Kericho (5,959), Kitui (5,216), Murang'a (4,650), Kakamega (4,252), Meru (4,134), Kisii (3,751), Migori (3,362), Laikipia (3,304), Bungoma (3,382), Makueni (3,102), Nyandarua (3,032), Garissa (2,758), Turkana (2,706), Embu (2,686), Trans Nzoia (2,429), Nandi (2,360), Kirinyaga (2,322), Homa Bay (2,151), Nyamira (2,116), Taita Taveta (2,060), Bomet (1,692), Baringo (1,697), Narok (1,395), Kwale (1,368), Tharaka Nithi (1,255), Vihiga (1,097), Marsabit (997), West Pokot (891), Lamu (779), Isiolo (776), Elgeyo Marakwet (532), Mandera (467), Tana River (469), Samburu (328), and Wajir (300).
- In epi-week **30, 2022**, **Nairobi City** and **Siaya** Counties had the highest attack rates of COVID-19 at **3.50** and **1.91** per **100,000** population respectively when compared to the national attack rate of **0.63/100,000** for the same epi-week.
- In the last 24 hours, **2,136 samples** were tested across various laboratories of which **forty (40)** samples turned positive for COVID-19, a positivity rate of **1.9%**. Cumulatively, **3,829,836 tests** have been conducted.
- In the last 24 hours, **50** COVID-19 patients (**Health Facility: 1, HBIC: 49**) recovered and were discharged bringing the total number of recoveries and discharges to **331,719**
(**Facility: 53,566, HBIC: 278,153**).



1.1 Epidemiology

Since 13th March 2020 when the first case was confirmed in Kenya, a total of **337,808** confirmed cases and **5,672** deaths (CFR **1.7%**) have been line-listed. **Figure 1 and 2** below shows trends of cases and deaths for the last one year.




Figure 1: Trends of COVID-19 outbreak in Kenya in the last one year




Figure 2: Trends of COVID-19 deaths in Kenya in the last one year

1.2 Laboratory testing

WHO recommends that one of the indicators that the pandemic is under control, is when < 5% of samples tested are positive for COVID-19 for the past 2 weeks, assuming that surveillance for suspected cases is comprehensive and the testing rate of suspect cases, is optimum at least 1/1000 population/week. The laboratory test rate currently stands at **80519.1** samples per 1,000,000 people. Figure 3 shows the weekly testing rate/1000 population/week for the last year.




Figure 3: Laboratory Tests Conducted by Date Results were Shared

1.3 Age and Sex Distribution of COVID Confirmed Cases and Deaths

A total of **190,045 (56%)** of the cumulative cases are males and **147,763 (44%)** are females. Most cases, **87,066 (26%)** are in the age group of **30-39 years**. Of the **5672** cumulative deaths, **3,609 (64%)** are males and **2,063 (36%)** are females.

Figure 4 below shows the age and sex distribution of COVID-19 cases by the outcome.




Figure 4: Age and Sex Distribution of COVID-19 Cases by the outcome in Kenya

1.4 Distribution of Confirmed COVID-19 Cases and Deaths by County of Diagnosis

Of the **337,808** cumulative cases, **139,587 (41.3%)** are from **Nairobi** County followed by **Kiambu** County with **21,208 (6.3%)**, while **Wajir** County recorded the lowest number of cases, **300 (0.09%)** as shown in Table 1.

Table 1: Distribution of confirmed COVID-19 Cases and deaths by County of Diagnosis

County	Population	Covid-19 Cases	Attack Rates	Deaths	CFR
Nairobi	4397073	139587	3174.54	1557	1.12
Kiambu	2417735	21208	877.18	552	2.60
Mombasa	1208333	18213	1507.28	337	1.85
Nakuru	2162202	17589	813.48	538	3.06
Uasin Gishu	1163186	10835	931.49	243	2.24
Kisumu	1155574	7948	687.80	85	1.07

County	Population	Covid-19 Cases	Attack Rates	Deaths	CFR
Machakos	1421932	7708	542.08	194	2.52
Kajiado	1117840	7678	686.86	77	1.00
Kilifi	1453787	7386	508.05	35	0.47
Siaya	993183	7080	712.86	120	1.69
Busia	893681	6621	740.87	53	0.80
Nyeri	759164	6180	814.05	176	2.85
Kericho	901777	5959	660.81	68	1.14
Kitui	1136187	5216	459.08	111	2.13
Murang'a	1056640	4650	440.07	230	4.95
Kakamega	1867579	4252	227.67	119	2.80
Meru	1545714	4134	267.45	114	2.76
Kisii	1266860	3751	296.09	112	2.99
Migori	1116436	3382	302.93	5	0.15
Laikipia	518560	3362	648.33	62	1.84
Bungoma	1670570	3304	197.78	26	0.79
Makueni	987653	3102	314.08	101	3.26
Nyandarua	638289	3032	475.02	67	2.21
Garissa	841353	2758	327.81	98	3.55
Turkana	926976	2706	291.92	62	2.29
Embu	608599	2686	441.34	24	0.89
Trans Nzoia	990341	2429	245.27	9	0.37
Nandi	885711	2360	266.45	34	1.44
Kirinyaga	610411	2322	380.40	76	3.27
Homa Bay	1131950	2151	190.03	98	4.56
Nyamira	605576	2116	349.42	18	0.85
Taita Taveta	340671	2060	604.69	42	2.04
Baringo	666763	1697	193.79	14	0.82
Bomet	875689	1692	253.76	29	1.71
Narok	1157873	1395	120.48	24	1.72
Kwale	866820	1368	157.82	11	0.80
Tharaka Nithi	393177	1255	319.19	8	0.64
Vihiga	590013	1097	185.93	30	2.73
Marsabit	459785	997	216.84	2	0.20
West Pokot	621241	891	143.42	1	0.11
Lamu	143920	779	541.27	13	1.67
Isiolo	268002	776	289.55	43	5.54
Elgeyo Marakwet	454480	532	117.06	10	1.88
Mandera	867457	469	54.07	1	0.21
Tana River	315943	467	147.81	36	7.71
Samburu	310327	328	105.69	1	0.30
Wajir	781263	300	38.40	6	2.00

1.5 Map of Kenya showing COVID-19 attack rate and by County per 100,000 population

In **Epi -week 30, Nairobi City** County recorded the highest attack rate of **3.50** followed by **Siaya County** at **1.91** per 100,000 population (Figure 5).




Figure 5: County Attack Rate per 100,000 Population

1.6 Map of Kenya showing COVID-19 caseload by County




Figure 6 Case-loads by county

1.7 Kenya COVID-19 Vaccination Updates



Partially vaccinated: >18yrs- 2,297,744 **15 to <18 yrs- 881,205** **<15yrs- 301,813**
Fully Vaccinated: >18yrs- 9,321,573 **15 to <18 yrs- 498,187** **<15yrs- 12,363**
Booster Doses: >18yrs- 1,048,782

The Kenya Ministry of Health launched the National COVID-19 vaccinations on the 5th of March 2021. As of **4th August 2022**, a total of **2,297,744 persons** were vaccinated with the 1st dose, and **9,321,573 persons** were fully vaccinated.

Table 2: Vaccine Doses Dispensed as of 4th August 2022

Vaccine	Total doses Administered
Partially vaccinated adults	2,297,744
Fully vaccinated adults	9,321,573
Booster doses	1,048,782
Total doses (All Vaccines + Sputnik)	20,824,982
Partially Vaccinated 15- below 18 years	881,205
Fully Vaccinated 15- below 18 years	498,187
Partially Vaccinated below 15 years	301,813
Fully Vaccinated below 15 years	12,363
% of adults fully vaccinated	34.2%

The highest proportion of the population fully vaccinated is in Nyeri County at 53.4% and the least is Marsabit County at 10.4% (Table 3).

Table 3: Proportion of fully Vaccinated by County, 4th August 2022

County	Number of adults fully vaccinated	Target Population above 18 years	% of fully vaccinated adults	County	Number of adults fully vaccinated	Target Population above 18 years	% of fully vaccinated adults
Nyeri	272,413	510,028	53.4%	Bungoma	278,260	843,735	33.0%
Nairobi	1,588,184	3,052,494	52.0%	Nyandarua	123,781	376,776	32.9%
Kakamega	431,501	982,838	43.9%	Makueni	189,780	584,379	32.5%
Kisumu	287,891	656,147	43.9%	Kericho	163,416	508,980	32.1%
Siaya	229,723	536,031	42.9%	Meru	282,107	949,186	29.7%
Nyamira	140,694	341,397	41.2%	Elgeyo Marakwet	65,562	243,690	26.9%
Nakuru	511,711	1,273,265	40.2%	Nandi	132,032	492,652	26.8%
Laikipia	122,149	306,448	39.9%	Baringo	84,336	338,937	24.9%
Migori	219,659	557,657	39.4%	Lamu	19,568	83,433	23.5%
Taita Taveta	82,355	213,335	38.6%	Kitui	137,445	624,506	22.0%
Homa Bay	232,919	608,326	38.3%	Samburu	31,524	145,608	21.6%
Kirinyaga	157,117	413,708	38.0%	Turkana	101,066	468,878	21.6%
Muranga	252,887	675,364	37.4%	Kwale	77,532	451,261	17.2%
Trans Nzoia	189,927	518,077	36.7%	Kilifi	134,260	784,567	17.1%
Kiambu	592,785	1,623,545	36.5%	Bomet	76,494	465,963	16.4%
Kisii	252,311	697,445	36.2%	Narok	83,938	548,229	15.3%
Machakos	320,810	905,172	35.4%	West Pokot	41,502	283,727	14.6%
Uasin Gishu	240,373	693,570	34.7%	Garissa	54,094	399,358	13.5%
Vihiga	113,873	329,317	34.6%	Isiolo	17,517	133,358	13.1%
Kajiado	228,692	663,201	34.5%	Wajir	37,335	337,296	11.1%
Tharaka Nithi	84,051	246,699	34.1%	Tana River	16,577	151,051	11.0%
Mombasa	272,865	804,202	33.9%	Marsabit	22,794	219,170	10.4%
Busia	157,570	465,190	33.9%	Mandera	35,532	341,857	10.4%
Embu	132,661	395,980	33.5%	Total	9,321,573	27,246,033	34.2%




Figure 7: Adult full vaccination coverage by county

2.0 KEY ACTIONS

2.1 Coordination

- Response efforts continue to be coordinated through a whole government and multi-agency approach following Executive Order No. 2 of 2021 issued by His Excellency the President on 26th March 2021.
- The National Emergency Response Committee that was constituted following the executive order meets regularly to provide policy directions on response efforts towards the COVID-19 outbreak.
- The Public Health Emergency Operation Centre is fully activated and continues to coordinate response measures as well as provide daily situation reports informing planning.

2.2 Case Management and Infection Prevention & Control

- Currently, COVID-19 cases are being managed as inpatients and in home-based care
- One (1) COVID-19 case is currently admitted to the intensive care unit: zero (0) on ventilatory support, one (1) on supplemental oxygen, and zero (0) under observation.

- The IPC measures being implemented include: handwashing/sanitization, use of face masks in public transport, and social distancing in social places

2.3 Surveillance, laboratory, and Point of Entries

- The Diagnostic capacity in the Country has been scaled up. A total of ninety-six (96) public and private laboratories conduct PCR tests and 472 Rapid Diagnostic Tests (RDT). Genomic sequencing is done on sampled cases to identify new variants.
- Screening of cargo vessel crew at all points of entry to detect positive individuals.

3.0 KEY CHALLENGES

- Irregular reporting of COVID-19 data from counties/sub-counties to the national level
- High staff turn-over of trained personnel
- Suboptimal use of data in counties and sub-counties shared by national level for follow-up and decision making
- Inadequate resources to facilitate critical response pillars limiting response capacity in detecting, investigating, and follow-up of cases.

4.0 RECOMMENDATIONS AND NEXT STEPS

- Enhanced integrated disease surveillance at all levels
- Regular submission of daily COVID-19 data to the national level by counties
- Counties are encouraged to carry out investigations and institute control measures for areas with clustering of cases.
- Dissemination and utilization of data to make informed public health decisions at all levels
- Continuous capacity building of staff on surveillance

Emergency Operation Center:

Telephone: 0729 471 414, 0732 353 535, 0800 721316(Toll Free)

COVID-19 Call center: *719# (short message only), 719 (Audio)

COVID-19 Dashboard: https://khro.health.go.ke/#/covid_19_tracker

Email: manager.eockenya@gmail.com